DOMINIUM
WELLNESS

Hyperbaric Oxygen Therapy

dominiumgroup.rs

Benefits to the Human Body

Hyperbaric Oxygen Therapy (HBOT) is a procedure in which users breathe nearly pure oxygen inside a chamber with increased atmospheric pressure. Designed for home use, this therapy supports the body's natural recovery processes. Inside a pressurized chamber, higher concentrations of oxygen are absorbed and transported through the blood plasma and other vital body fluids. Enhanced oxygen delivery to affected tissues may promote recovery and help relieve various conditions.

Oxygen helps the body activate its natural self-healing properties. Many health challenges today are linked to insufficient oxygen levels at the cellular level. Using a hyperbaric chamber for home use increases oxygen delivery throughout the body, which is known to accelerate recovery, strengthen the immune system, and enhance overall wellness, energy, and physical performance.



Inflammation Reduction

HBOT may support the reduction of neuroinflammation—an important factor associated with Parkinson's disease—by increasing oxygen availability in the brain.

Dopamine Boost

While HBOT does not restore lost dopamine-producing neurons, it may enhance the brain's ability to utilize existing dopamine, potentially supporting motor function and movement control.

Cellular Function

HBOT may enhance oxygen delivery, which can benefit brain cells struggling with energy production and metabolic efficiency.

Use Case Examples

Home & Office Spaces

Health & Veterinary Practices

Fitness & Sport Centers

Beauty Salons

Holiday Resorts

Wellness & Spa Centers

DW2230TASDP

Ultra Premium Aluminium Chamber

Key Features

- Ultra premium model, the most advanced technology on the market (smart technology), made of aluminium alloy
- 22″ Intelligent control HMI with 7 preset modes and one-click switching
- Operation data monitoring-pressure curve chart
- Eco-friendly materials for chamber and interior
- TV Entertainment system
- Top-tier global components with SIEMENS pressure relief valve and SMC filter.
- Dual-core drive, efficient oxygen generation; modular split design, unified performance
- 4cm PC safe aviation-grade material door

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.3ATA(4.5PSI) or 1.5ATA(7.2PSI)
- Material: Aluminium alloy
- Size: 223x190x197cm
- Weight: 750kg
- Door Thickness: 4cm
- Noise: <60DB (A)
- O2 Purity: less than 30%

Oxygen Concentrator

- Oxygen Flow Rate: 0-20L/min (x2)
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 50 x 40 x 96cm
- Weight: 90kg
- Noise: <60DB
- O2 Purity: 93% +/-3%

Air Booster

- Air Flow Rate: > 400L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 50 x 40 x 96cm
- Weight: 100kg
- Noise: <60DB
- Output pressure: >350Kpa

Air Condition

- Air Volume: > 420m3/hour
- Exterior Size: 36.5 x 45.5 x 60cm
- Interior Size: 53 x 17 x 26cm
- Exterior Weight: 30kg
- Interior Weight: 4kg
- Wind Speed: 5m/s

Standard Accessories

- BIBS breathing system
- Double sofa
- 43″ TV
- Air Condition
- Interior/Exterior control panel
- Emergency stop button
- Soft interior lighting designed to be safe and comfortable both day and night
- UV disinfection lamp for sterilization and hygiene
- Intercom pair for clear communication
- Emergency pressure release device
- User manual
- Oxygen mask

DW230TCLP

Premium Steel Chamber

Key Features

- Premium model, the most advanced technology on the market (smart technology), made of stainless steel with a durable metallic finish; available in five languages: English, French, German, Italian, Spanish.
- Comfortable and easy operation thanks to intercom communication
- Comes with an intelligent 2-in-1 compact system (Air & O2), an oxygen concentrator, and a compressor, practical and easy to use
- Touchscreen display allows for quick and easy adjustment of all functions
- Adjustable pressure and airflow settings for precise and effortless control

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25



Specifications

Chamber

- Pressure: 1.3ATA(4.5PSI) or 1.5ATA(7.2PSI)
- Material: stainless special steel Q345R, it is high-hardness, high-compression-resistant special stainless steel is also easy to weld with high precision (such as with TIG welding); we use it to ensure that the chamber's seam seals are not affected by temperature changes or pressure fluctuations, preventing deformation and reducing frequency of maintenance
- Size: 88x228cm
- O2 Purity: less than 30%
- Windows: 80x60cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- Internal touchscreen panel with controls for chamber pressure, oxygen concentration, pressure calibration, timer settings, total operating hours, temperature, and humidity
- Soft interior lighting designed to be safe and comfortable both day and night
- UV disinfection lamp for sterilization and hygiene
- 1x Intercom pair for clear communication
- 2x Automatic pressure release valves
- 1x Emergency pressure release valve
- 1x Manual pressure release valve
- 1x External pressure gauge
- 1x User manual
- 4x Caster wheels for easy mobility
- Oxygen mask

Optional Accessories

- Air cooler
- Mattress
- Pillow

Intelligent 2-in-1 oxygen control system





Valves and Connectors





DW230TALP

Premium Aluminium Chamber

Key Features

- Premium model, the most advanced technology on the market (smart technology), made from aviation grade aluminum alloy; available in five languages: English, French, German, Italian, Spanish.
- Comfortable and easy operation thanks to intercom communication
- Comes with an intelligent 2-in-1 compact system (Air & O2), an oxygen concentrator, and a compressor, practical and easy to use
- Touchscreen display allows for quick and easy adjustment of all functions
- Adjustable pressure and airflow settings for precise and effortless control

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.3ATA(4.5PSI) or 1.5ATA(7.2PSI)
- Material: Aviation grade aluminum alloy
- Size: 90x230cm
- O2 Purity: less than 30%
- Windows: 80x60cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- Internal touchscreen panel with controls for chamber pressure, oxygen concentration, pressure calibration, timer settings, total operating hours, temperature, and humidity
- Soft interior lighting designed for safe use day and night
- UV disinfection lamp for sterilization
- 1x Intercom pair
- 2x Automatic pressure release valves
- 1x Emergency pressure release valve
- 1x Manual pressure release valve
- 1x External pressure gauge

Optional Accessories

- Air cooler
- Mattress
- Pillow

DW230TKLP

Premium Composite Chamber

Key Features

- Premium model, the most advanced technology on the market (smart technology), made from composite materials with a durable metallic finish; available in five languages: English, French, German, Italian, Spanish
- Comfortable and easy operation thanks to intercom communication
- Comes with an intelligent 2-in-1 compact system (Air & O2), an oxygen concentrator, and a compressor, practical and easy to use
- Touchscreen display allows for quick and easy adjustment of all functions
- Adjustable pressure and airflow settings for precise and effortless control

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.3ATA(4.5PSI) or 1.5ATA(7.2PSI)
- Material: composite material (composite material is a modern functional material made from synthetic resin and fiberglass through a composite process; its advantages include being lightweight, corrosion-resistant, aging-resistant, waterproof, and moisture-resistant, in addition to serving as an excellent insulation material)
- Size: 90x230cm
- O2 Purity: less than 30%
- Windows: 80x60cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- Internal touchscreen panel with controls for chamber pressure, oxygen concentration, pressure calibration, timer settings, total operating hours, temperature, and humidity
- Soft interior lighting designed for safe use day and night
- UV disinfection lamp for sterilization
- 1x Intercom pair
- 2x Automatic pressure release valves
- 1x Emergency pressure release valve
- 1x Manual pressure release valve
- 1x External pressure gauge

Optional Accessories

- Air cooler
- Mattress
- Pillow

DW220ML

Soft Lying Chamber

Key Features

- Portable, compact, practical, and lightweight model, easy to assemble, disassemble, and transport
- Comfortable and easy operation with a wireless remote control
- Comes with an intelligent 2-in-1 compact system (Air & O2), an oxygen concentrator, and a compressor, practical and easy to use
- Touchscreen display allows for quick and easy adjustment of all functions
- Adjustable pressure and airflow settings for precise and effortless control

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.1ATA(1.5PSI) - 1.5ATA(7.2PSI)
- Material: 5 Class TPU
- Size: 80x200cm, 85x210cm, 90x220cm
- O2 Puity: less than 30%
- Windows: overhead 45x19cm, both sides 15cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Optional Accessories

- Cover (6 colors available)
- Air cooler
- Internal frame
- External frame
- Mattresses and pillows

Standard Accessories

- 2x Automatic pressure relief valves
- 1x Emergency pressure relief valve
- 1x Manual pressure relief valves
- 2x 2m Air columns
- 1x Internal pressure gauge
- 1x External pressure gauge
- 4x Oxygen/Air inlet
- 1x User manual
- 1x Silencer

DW220MLS

Soft Lying and Sitting Chamber

Key Features

- Portable type, can be folded up and moved easily
- Wire-less remote control, can be operated by one person
- High-frequency welding process, durable and non-falling,non-toxic and non-polluting
- Oxygen concentrator and air compressor integrated
- Real-time display of oxygen chamber pressure and oxygen concentration

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25



Specifications

Chamber

- Pressure: 1.1ATA(1.5PSI) - 1.5ATA(7.2PSI)
  Material: 5 Class TPU
- Size: 220x70x110cm
- O2 Purity: less than 30%
- Windows: both sides, 15cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- 2x Automatic pressure relief valves
- 2x Pressure Gauges
- 1x Manual pressure relief valves
- 1x Sponge silencer + bottom plate
- 3x Air intake
- 1x Base
- 1x Plug

Optional Accessories

- Cover (6 colors available)
- Air cooler
- Internal frame
- External frame
- Folding chair

DW160MS

Soft Sitting Chamber

Key Features

- Portable type, can be folded up and moved easily
- Wire-less remote control, can be operated by one person
- Oxygen concentrator and air compressor integrated
- High-frequency welding process, durable and non-falling ,non-toxic andnon-polluting
- Different pressure options via touchable screen
- Pressurization/Depressurization rate optional

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.1ATA(1.5PSI) - 1.5ATA(7.2PSI)
- Material: 5 Class TPU
- Size: 160x65x120cm
- O2 Purity: less than 30%
- Windows: both sides, 15cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- 2x Automatic pressure relief valves
- 1x Emergency pressure relief valve
- 1x Manual pressure relief valves
- 1x External pressure gauge
- 1x Internal pressure gauge
- 1x Sponge base
- 4x Oxygen/Air inlet
- 1x User manual
- 1x Silencer

Optional Accessories

- Cover (6 colors available)
- Air cooler
- Internal frame
- External frame
- Folding chair

DW240MDO

Egg-shaped Chamber

Key Features

- Portable type, can be folded up and moved easily
- Wire-less remote control, can be operated by one person
- Oxygen concentrator and air compressor integrated
- High-frequency welding process, durable and non-falling ,non-toxic andnon-polluting
- Different pressure options via touchable screen
- Pressurization/Depressurization rate optional

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.1ATA(1.5PSI) - 1.5ATA(7.2PSI)
- Material: 5 class TPU
- Size: 240x60x120cm
- O2 Purity: less than 30%
- Windows: four windows with size of 15cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- 1x Manual pressure relief valves
- 2x Automatic pressure relief valves
- 3x Oxygen/Air inlet valve
- 2x 2M air columns
- 1x Internal pressure gauge
- 1x External pressure gauge
- 1x Sponge silencer
- 1x User manual

Optional Accessories

- Cover (6 colors available)
- Air cooler
- Internal frame
- External frame
- Mattress
- Pillow

DW140MH

Wheel Chair Chamber

Key Features

- Portable type, can be folded up and moved easily
- Wire-less remote control, can be operated by one person
- Oxygen concentrator and air compressor integrated
- High-frequency welding process, durable and non-falling ,non-toxic andnon-polluting
- Different pressure options via touchable screen
- Pressurization/Depressurization rate optional

Request a quote
office@dominiumwellness.rs
+381 60 46 222 25

Specifications

Chamber

- Pressure: 1.1ATA(1.5PSI) - 1.3ATA(4.5PSI)
- Material: 5 Class TPU
- Size: 140x160x100cm
- O2 Purity: less than 30%
- Windows: both sides, 15cm

Oxygen Concentrator

- Flow Rate: air flow 110L/min, oxygen flow 10L/min
- Voltage: AC220V 50HZ, AC 110V 60HZ
- Size: 39x39x89cm
- O2 Purity: 93% +/-3%
- Control: wire-less remote control (within 3 meters) and intelligent screen touch (2 in 1 technology)

Standard Accessories

- 2x Automatic pressure relief valve
- 2x Pressure gauges
- 1x Manual pressure relief valve
- 1x Sponge silencer and bottom plate
- 3x Air intake
- 1x Base
- 1x Plug

Optional Accessories

- Cover (6 colors available)
- Air cooler
- Internal frame
- External frame
- Folding chair

Great Quality Guaranteed



DOMINIUM
WELLNESS

dominiumgroup.rs